

MATERIAL SAFETY DATA SHEET

MATSUI INTERNATIONAL CO., INC
1501 W. 178TH STREET GARDENA, CA. 90248

Identity (As used on label and list)

GLOW BLUE MIBR-E

Section I

Manufacturer's Name MATSUI INTERNATIONAL	Emergency Telephone (310) 767-7812
Address (number, street, city, state, and zip code) 1501 W. 178 TH STREET, GARDENA, CA 90248	Telephone Number for Information (310) 767-7812
Date Prepared 02/05/13	Name of Preparer (optional) KAZUMI KAWAKAMI

Hazard Ratings

Health: 1
Flammability: 1
Reactivity: 0
Protective Equipment:

V.O.C. Content

no chemical substance relating to V.O.C.
is contained.

Section II - Hazardous Components Greater Than 1%

Material (s)	%	CAS #	PEL	TLV

No hazardous ingredients known at this time.

D/A...Data available

N/A... Not applicable or not available

Section III - Physical / Chemical Characteristics

Boiling Point	100°C (212°F)	Specific Gravity (H ₂ O=1)	1.24
Vapor Pressure (mm Hg.)	N/A	Melting Point	0°C
Vapor Density (AIR=1)	N/A	Evaporation Rate (Butyl Acetate=1)	Slower
Solubility in Water	N/A		
Appearance and Odor	Neon Blue liquid with no odor.		

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) None	Flammable Limits: N/A	LEL N/A	UEL
-----------------------------------	--------------------------	------------	-----

Extinguishing Media: Foam, sand, carbon dioxide, dry chemical or water.

Special Fire Fighting Procedures: Use respirators when fire fighting.

Unusual Fire and Explosion Hazards: Not pyrophoric.

Section V - Reactivity Data

Stability: Unstable _____ Stable X.

Conditions to avoid: No specific reactivity

Incompatibility (Materials to avoid): Strong acids and bases.

Hazardous Decomposition or Byproducts: None

Hazardous Polymerization: May Occur _____ Will Not Occur X

Conditions to Avoid: Heat, sparks, and open flame.

Section VI - Health Hazard Data

<i>Route (s) of Entry:</i>	<u>Inhalation</u> possible	<u>Skin</u> possible	<u>Ingestion</u> possible	<u>Eye</u> possible
----------------------------	-------------------------------	-------------------------	------------------------------	------------------------

Health Hazardous (Acute and Chronic):

The vapor might irritate eyes, nose, and throat. In the case of skin contact, dermatitis might occur. Inhalation may cause coughing, headache, dizziness, nausea, etc.

<i>Carcinogenicity:</i>	<u>unknown</u>	<u>NTP</u> none	<u>IARC</u> none	<u>OSHA</u> none
-------------------------	----------------	--------------------	---------------------	---------------------

Signs and Symptoms of Exposure: There might be itch similar to contact dermatitis, but symptoms could be stopped by eliminating skin contact

Medical Conditions Generally Aggravated by Exposure: Unknown due to lack of precedent.

Emergency and First Aid Procedures:

In the rare event of dermatitis reaction or eye contact, wash or flush thoroughly with water. If ingested, induce vomiting with much water.

In all cases, medical attention is recommended.

Section VII - Precautions for Safe Handling and Use

Steps to be taken in case material is released or spilled:

Spills may be hardened with sand or absorbent material and transferred to containers. Protective clothing is to be worn during operation.

Waste Disposal Method: Dispose of in accordance with local, state, and federal regulations.

Precautions to Be Taken in Handling and Storing:

No precautions need to be taken in handling and storing under ordinary room temperature.

Keep away from high temperatures and flames.

Other Precautions: Store in cool and dark places, and keep the remainder airtight to prevent quality deterioration due to evaporation of content.

Section VIII - Control Measures

Respiratory Protection (Specify Type): Not necessary, but recommended.

Ventilation	Local exhaust:	Necessary during operation.
	Mechanical (General):	Desirable
	Special:	
	Other:	

Protective Gloves: Recommended. (Use rubber gloves).

Eye Protection: Recommended. (Use goggles)

Other Protective Clothing or Equipment: Not Necessary.

Work / Hygienic Practices: Nothing in particular.

Section IX - Miscellaneous

The information set forth herein is to the best knowledge and belief of MATSUI INTERNATIONAL CO. INC. If not employed as directed, we do not guarantee that the hazard precautions or procedure mentioned above are the only ones, which exist, and we do not assume responsibility in cases of unusual use of this product.

MATERIAL SAFETY DATA SHEET

MATSUI INTERNATIONAL CO., INC
1501 W. 178TH STREET GARDENA, CA. 90248

Identity (As used on label and list)

GLOW GREEN MI8G-E

Section I

Manufacturer's Name MATSUI INTERNATIONAL	Emergency Telephone (310) 767-7812
Address (number, street, city, state, and zip code) 1501 W. 178 TH STREET, GARDENA, CA 90248	Telephone Number for Information (310) 767-7812
Date Prepared 02/05/13	Name of Preparer (optional) KAZUMI KAWAKAMI

Hazard Ratings

Health: 1
Flammability: 1
Reactivity: 0
Protective Equipment:

V.O.C. Content

no chemical substance relating to V.O.C.
is contained.

Section II - Hazardous Components Greater Than 1%

Material (s)	%	CAS #	PEL	TLV

No hazardous ingredients known at this time.

D/A...Data available

N/A... Not applicable or not available

Section III - Physical / Chemical Characteristics

Boiling Point	100°C (212°F)	Specific Gravity (H ₂ O=1)	1.24
Vapor Pressure (mm Hg.)	N/A	Melting Point	0°C
Vapor Density (AIR=1)	N/A	Evaporation Rate (Butyl Acetate=1)	Slower
Solubility in Water	N/A		
Appearance and Odor	Neon Green liquid with no odor.		

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) None	Flammable Limits: N/A	LEL N/A	UEL
-----------------------------------	--------------------------	------------	-----

Extinguishing Media: Foam, sand, carbon dioxide, dry chemical or water.

Special Fire Fighting Procedures: Use respirators when fire fighting.

Unusual Fire and Explosion Hazards: Not pyrophoric.

Section V - Reactivity Data

Stability: Unstable _____ Stable X.

Conditions to avoid: No specific reactivity

Incompatibility (Materials to avoid): Strong acids and bases.

Hazardous Decomposition or Byproducts: None

Hazardous Polymerization: May Occur _____ Will Not Occur X

Conditions to Avoid: Heat, sparks, and open flame.

Section VI - Health Hazard Data

<i>Route (s) of Entry:</i>	<u>Inhalation</u> possible	<u>Skin</u> possible	<u>Ingestion</u> possible	<u>Eye</u> possible
----------------------------	-------------------------------	-------------------------	------------------------------	------------------------

Health Hazardous (Acute and Chronic):

The vapor might irritate eyes, nose, and throat. In the case of skin contact, dermatitis might occur. Inhalation may cause coughing, headache, dizziness, nausea, etc.

<i>Carcinogenicity:</i>	<u>unknown</u>	<u>NTP</u> none	<u>IARC</u> none	<u>OSHA</u> none
-------------------------	----------------	--------------------	---------------------	---------------------

Signs and Symptoms of Exposure: There might be itch similar to contact dermatitis, but symptoms could be stopped by eliminating skin contact

Medical Conditions Generally Aggravated by Exposure: Unknown due to lack of precedent.

Emergency and First Aid Procedures:

In the rare event of dermatitis reaction or eye contact, wash or flush thoroughly with water. If ingested, induce vomiting with much water.

In all cases, medical attention is recommended.

Section VII - Precautions for Safe Handling and Use

Steps to be taken in case material is released or spilled:

Spills may be hardened with sand or absorbent material and transferred to containers. Protective clothing is to be worn during operation.

Waste Disposal Method: Dispose of in accordance with local, state, and federal regulations.

Precautions to Be Taken in Handling and Storing:

No precautions need to be taken in handling and storing under ordinary room temperature.

Keep away from high temperatures and flames.

Other Precautions: Store in cool and dark places, and keep the remainder airtight to prevent quality deterioration due to evaporation of content.

Section VIII - Control Measures

Respiratory Protection (Specify Type): Not necessary, but recommended.

Ventilation	Local exhaust:	Necessary during operation.
	Mechanical (General):	Desirable
	Special:	
	Other:	

Protective Gloves: Recommended. (Use rubber gloves).

Eye Protection: Recommended. (Use goggles)

Other Protective Clothing or Equipment: Not Necessary.

Work / Hygienic Practices: Nothing in particular.

Section IX - Miscellaneous

The information set forth herein is to the best knowledge and belief of MATSUI INTERNATIONAL CO. INC. If not employed as directed, we do not guarantee that the hazard precautions or procedure mentioned above are the only ones, which exist, and we do not assume responsibility in cases of unusual use of this product.

MATERIAL SAFETY DATA SHEET

MATSUI INTERNATIONAL CO., INC
1501 W. 178TH STREET GARDENA, CA. 90248

Identity (As used on label and list)

GLOW ORANGE MI2G-E

Section I

Manufacturer's Name MATSUI INTERNATIONAL	Emergency Telephone (310) 767-7812
Address (number, street, city, state, and zip code) 1501 W. 178 TH STREET, GARDENA, CA 90248	Telephone Number for Information (310) 767-7812
Date Prepared 02/05/13	Name of Preparer (optional) KAZUMI KAWAKAMI

Hazard Ratings

Health: 1
Flammability: 1
Reactivity: 0
Protective Equipment:

V.O.C. Content

no chemical substance relating to V.O.C.
is contained.

Section II - Hazardous Components Greater Than 1%

Material (s)	%	CAS #	PEL	TLV

No hazardous ingredients known at this time.

D/A...Data available

N/A... Not applicable or not available

Section III - Physical / Chemical Characteristics

Boiling Point	100°C (212°F)	Specific Gravity (H ₂ O=1)	1.24
Vapor Pressure (mm Hg.)	N/A	Melting Point	0°C
Vapor Density (AIR=1)	N/A	Evaporation Rate (Butyl Acetate=1)	Slower
Solubility in Water	N/A		
Appearance and Odor	Neon Orange liquid with no odor.		

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) None	Flammable Limits: N/A	LEL N/A	UEL
-----------------------------------	--------------------------	------------	-----

Extinguishing Media: Foam, sand, carbon dioxide, dry chemical or water.

Special Fire Fighting Procedures: Use respirators when fire fighting.

Unusual Fire and Explosion Hazards: Not pyrophoric.

Section V - Reactivity Data

Stability: Unstable _____ Stable X.

Conditions to avoid: No specific reactivity

Incompatibility (Materials to avoid): Strong acids and bases.

Hazardous Decomposition or Byproducts: None

Hazardous Polymerization: May Occur _____ Will Not Occur X

Conditions to Avoid: Heat, sparks, and open flame.

Section VI - Health Hazard Data

<i>Route (s) of Entry:</i>	<u>Inhalation</u> possible	<u>Skin</u> possible	<u>Ingestion</u> possible	<u>Eye</u> possible
----------------------------	-------------------------------	-------------------------	------------------------------	------------------------

Health Hazardous (Acute and Chronic):

The vapor might irritate eyes, nose, and throat. In the case of skin contact, dermatitis might occur. Inhalation may cause coughing, headache, dizziness, nausea, etc.

<i>Carcinogenicity:</i>	<u>unknown</u>	<u>NTP</u> none	<u>IARC</u> none	<u>OSHA</u> none
-------------------------	----------------	--------------------	---------------------	---------------------

Signs and Symptoms of Exposure: There might be itch similar to contact dermatitis, but symptoms could be stopped by eliminating skin contact

Medical Conditions Generally Aggravated by Exposure: Unknown due to lack of precedent.

Emergency and First Aid Procedures:

In the rare event of dermatitis reaction or eye contact, wash or flush thoroughly with water. If ingested, induce vomiting with much water.

In all cases, medical attention is recommended.

Section VII - Precautions for Safe Handling and Use

Steps to be taken in case material is released or spilled:

Spills may be hardened with sand or absorbent material and transferred to containers. Protective clothing is to be worn during operation.

Waste Disposal Method: Dispose of in accordance with local, state, and federal regulations.

Precautions to Be Taken in Handling and Storing:

No precautions need to be taken in handling and storing under ordinary room temperature.

Keep away from high temperatures and flames.

Other Precautions: Store in cool and dark places, and keep the remainder airtight to prevent quality deterioration due to evaporation of content.

Section VIII - Control Measures

Respiratory Protection (Specify Type): Not necessary, but recommended.

Ventilation	Local exhaust:	Necessary during operation.
	Mechanical (General):	Desirable
	Special:	
	Other:	

Protective Gloves: Recommended. (Use rubber gloves).

Eye Protection: Recommended. (Use goggles)

Other Protective Clothing or Equipment: Not Necessary.

Work / Hygienic Practices: Nothing in particular.

Section IX - Miscellaneous

The information set forth herein is to the best knowledge and belief of MATSUI INTERNATIONAL CO. INC. If not employed as directed, we do not guarantee that the hazard precautions or procedure mentioned above are the only ones, which exist, and we do not assume responsibility in cases of unusual use of this product.

MATERIAL SAFETY DATA SHEET

MATSUI INTERNATIONAL CO., INC
1501 W. 178TH STREET GARDENA, CA. 90248

Identity (As used on label and list)

GLOW PINK MIB-E

Section I

Manufacturer's Name MATSUI INTERNATIONAL	Emergency Telephone (310) 767-7812
Address (number, street, city, state, and zip code) 1501 W. 178 TH STREET, GARDENA, CA 90248	Telephone Number for Information (310) 767-7812
Date Prepared 02/05/13	Name of Preparer (optional) KAZUMI KAWAKAMI

Hazard Ratings

Health: 1
Flammability: 1
Reactivity: 0
Protective Equipment:

V.O.C. Content

no chemical substance relating to V.O.C.
is contained.

Section II - Hazardous Components Greater Than 1%

Material (s)	%	CAS #	PEL	TLV

No hazardous ingredients known at this time.

D/A...Data available

N/A... Not applicable or not available

Section III - Physical / Chemical Characteristics

Boiling Point	100°C (212°F)	Specific Gravity (H ₂ O=1)	1.24
Vapor Pressure (mm Hg.)	N/A	Melting Point	0°C
Vapor Density (AIR=1)	N/A	Evaporation Rate (Butyl Acetate=1)	Slower
Solubility in Water	N/A		
Appearance and Odor	Neon Pink liquid with no odor.		

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) None	Flammable Limits: N/A	LEL N/A	UEL
-----------------------------------	--------------------------	------------	-----

Extinguishing Media: Foam, sand, carbon dioxide, dry chemical or water.

Special Fire Fighting Procedures: Use respirators when fire fighting.

Unusual Fire and Explosion Hazards: Not pyrophoric.

Section V - Reactivity Data

Stability: Unstable _____ Stable X.

Conditions to avoid: No specific reactivity

Incompatibility (Materials to avoid): Strong acids and bases.

Hazardous Decomposition or Byproducts: None

Hazardous Polymerization: May Occur _____ Will Not Occur X

Conditions to Avoid: Heat, sparks, and open flame.

Section VI - Health Hazard Data

<i>Route (s) of Entry:</i>	<u>Inhalation</u> possible	<u>Skin</u> possible	<u>Ingestion</u> possible	<u>Eye</u> possible
----------------------------	-------------------------------	-------------------------	------------------------------	------------------------

Health Hazardous (Acute and Chronic):

The vapor might irritate eyes, nose, and throat. In the case of skin contact, dermatitis might occur. Inhalation may cause coughing, headache, dizziness, nausea, etc.

<i>Carcinogenicity:</i>	<u>unknown</u>	<u>NTP</u> none	<u>IARC</u> none	<u>OSHA</u> none
-------------------------	----------------	--------------------	---------------------	---------------------

Signs and Symptoms of Exposure: There might be itch similar to contact dermatitis, but symptoms could be stopped by eliminating skin contact

Medical Conditions Generally Aggravated by Exposure: Unknown due to lack of precedent.

Emergency and First Aid Procedures:

In the rare event of dermatitis reaction or eye contact, wash or flush thoroughly with water. If ingested, induce vomiting with much water.

In all cases, medical attention is recommended.

Section VII - Precautions for Safe Handling and Use

Steps to be taken in case material is released or spilled:

Spills may be hardened with sand or absorbent material and transferred to containers. Protective clothing is to be worn during operation.

Waste Disposal Method: Dispose of in accordance with local, state, and federal regulations.

Precautions to Be Taken in Handling and Storing:

No precautions need to be taken in handling and storing under ordinary room temperature.

Keep away from high temperatures and flames.

Other Precautions: Store in cool and dark places, and keep the remainder airtight to prevent quality deterioration due to evaporation of content.

Section VIII - Control Measures

Respiratory Protection (Specify Type): Not necessary, but recommended.

Ventilation	Local exhaust:	Necessary during operation.
	Mechanical (General):	Desirable
	Special:	
	Other:	

Protective Gloves: Recommended. (Use rubber gloves).

Eye Protection: Recommended. (Use goggles)

Other Protective Clothing or Equipment: Not Necessary.

Work / Hygienic Practices: Nothing in particular.

Section IX - Miscellaneous

The information set forth herein is to the best knowledge and belief of MATSUI INTERNATIONAL CO. INC. If not employed as directed, we do not guarantee that the hazard precautions or procedure mentioned above are the only ones, which exist, and we do not assume responsibility in cases of unusual use of this product.

MATERIAL SAFETY DATA SHEET

MATSUI INTERNATIONAL CO., INC
1501 W. 178TH STREET GARDENA, CA. 90248

Identity (As used on label and list)

GLOW PURPLE MIGR-E

C.I. No. Basic Violet 11-1 CAS # 73398-89-7, C.I. No. Basic Violet 15 CAS # 61901-64-2, C.I. No. Solvent Yellow #44,
C.I. No.45160 CAS # 3068-39-1PinK

Section I

Manufacturer's Name MATSUI INTERNATIONAL	Emergency Telephone (310) 767-7812
Address (number, street, city, state, and zip code) 1501 W. 178 TH STREET, GARDENA, CA 90248	Telephone Number for Information (310) 767-7812
Date Prepared 02/05/13	Name of Preparer (optional) KAZUMI KAWAKAMI

Hazard Ratings

Health: 1
Flammability: 0
Reactivity: 0
Protective Equipment:

V.O.C. Content

no chemical substance relating to V.O.C.
is contained.

Section II - Hazardous Components Greater Than 1%

Material (s)	%	CAS #	PEL	TLV
--------------	---	-------	-----	-----

SARA TITLE III SECTION 313

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right to Know Act of 1986 and of 40 CFR 372:

C.I. BASIC VIOLET 11:1, TETRACHLOROZINCATE (ZINC COMPOUND) 0-5% 73398-89-7

D/A...Data available

N/A... Not applicable or not available

Section III - Physical / Chemical Characteristics

Boiling Point	100°C(212°F)	Specific Gravity (H ₂ O=1)	1.09
Vapor Pressure (mm Hg.)	N/A	Melting Point	0°C
Vapor Density (AIR=1)	N/A	Evaporation Rate (Butyl Acetate=1)	N/A
Solubility in Water	Miscible		

Appearance and Odor

Odorless liquid.

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) Non-combustible	Flammable Limits:	LEL N/A	UEL N/A
--	-------------------	------------	------------

Extinguishing Media: Foam, sand, dry chemical or water.

Special Fire Fighting Procedures: Use respirators when fire fighting.

Unusual Fire and Explosion Hazards: Not pyrophoric.

Section V - Reactivity Data

Stability: Unstable Stable

Conditions to avoid: No specific reactivity

Incompatibility (Materials to avoid): None

Hazardous Decomposition or Byproducts: None

Hazardous Polymerization: May Occur Will Not Occur

Conditions to Avoid: None

Section VI - Health Hazard Data

<i>Route (s) of Entry:</i>	<u>Inhalation</u> possible	<u>Skin</u> possible	<u>Ingestion</u> possible	<u>Eye</u> possible
----------------------------	-------------------------------	-------------------------	------------------------------	------------------------

Health Hazardous (Acute and Chronic):

Under the condition employed, skin contact is quite frequent. Even so, very rarely, a rash may be seen through prolonged contact or on people with sensitive skin.

<i>Carcinogenicity:</i>	<u>unknown</u>	<u>NTP</u> none	<u>IARC</u> none	<u>OSHA</u> none
-------------------------	----------------	--------------------	---------------------	---------------------

Signs and Symptoms of Exposure: There might be itch similar to contact dermatitis, but symptoms could be stopped by eliminating skin contact

Medical Conditions Generally Aggravated by Exposure: Unknown due to lack of precedent.

Emergency and First Aid Procedures:

In the rare event of dermatitis reaction or eye contact, wash or flush thoroughly with water. If ingested, induce vomiting with much water.

In all cases, medical attention is recommended.

Section VII - Precautions for Safe Handling and Use

Steps to be taken in case material is released or spilled:

Spills may be hardened with sand or absorbent material and transferred to containers. Protective clothing is to be worn during operation.

Waste Disposal Method: Dispose of in accordance with local, state, and federal regulations.

Precautions to Be Taken in Handling and Storing:

No precautions need to be taken in handling and storing under ordinary room temperature.
Keep away from high temperatures and flames.

Other Precautions: Store in cool and dark places, and keep the remainder airtight to prevent quality deterioration due to evaporation of content.

Section VIII - Control Measures

Respiratory Protection (Specify Type): Not necessary. But recommended.

Ventilation	Local exhaust:	Necessary during operation.
	Mechanical (General):	Desirable
	Special:	
	Other:	

Protective Gloves: Recommended. (Use rubber gloves).

Eye Protection: Recommended. (Use goggles)

Other Protective Clothing or Equipment: Not Necessary.

Work / Hygienic Practices: Nothing in particular.

Section IX - Miscellaneous

The information set forth herein is to the best knowledge and belief of MATSUI INTERNATIONAL CO. INC. If not employed as directed, we do not guarantee that the hazard precautions or procedure mentioned above are the only ones, which exist, and we do not assume responsibility in cases of unusual use of this product.

MATERIAL SAFETY DATA SHEET

MATSUI INTERNATIONAL CO., INC
1501 W. 178TH STREET GARDENA, CA. 90248

Identity (As used on label and list)

GLOW ROSE MI5B-E

C.I. No. Basic Violet 11-1 CAS # 73398-89-7 C.I. No. Basic Violet 15 CAS # 61901-64-2 C.I. No. Solvent Yellow #44
C.I. No.45160 CAS # 3068-39-1

Section I

Manufacturer's Name MATSUI INTERNATIONAL	Emergency Telephone (310) 767-7812
Address (number, street, city, state, and zip code) 1501 W. 178 TH STREET, GARDENA, CA 90248	Telephone Number for Information (310) 767-7812
Date Prepared 02/05/13	Name of Preparer (optional) KAZUMI KAWAKAMI

Hazard Ratings

Health: 1
Flammability: 0
Reactivity: 0
Protective Equipment:

V.O.C. Content

no chemical substance relating to V.O.C.
is contained.

Section II - Hazardous Components Greater Than 1%

Material (s)	%	CAS #	PEL	TLV
--------------	---	-------	-----	-----

SARA TITLE III SECTION 313

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right to Know Act of 1986 and of 40 CFR 372:

C.I. BASIC VIOLET 11:1, TETRACHLOROZINCATE (ZINC COMPOUND) 0-5% 73398-89-7

D/A...Data available

N/A... Not applicable or not available

Section III - Physical / Chemical Characteristics

Boiling Point	100°C(212°F)	Specific Gravity (H ₂ O=1)	1.09
Vapor Pressure (mm Hg.)	N/A	Melting Point	0°C
Vapor Density (AIR=1)	N/A	Evaporation Rate (Butyl Acetate=1)	N/A
Solubility in Water	Miscible		

Appearance and Odor

Odorless liquid.

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) Non-combustible	Flammable Limits:	LEL N/A	UEL N/A
--	-------------------	------------	------------

Extinguishing Media: Foam, sand, dry chemical or water.

Special Fire Fighting Procedures: Use respirators when fire fighting.

Unusual Fire and Explosion Hazards: Not pyrophoric.

Section V - Reactivity Data

Stability: Unstable Stable

Conditions to avoid: No specific reactivity

Incompatibility (Materials to avoid): None

Hazardous Decomposition or Byproducts: None

Hazardous Polymerization: May Occur Will Not Occur

Conditions to Avoid: None

Section VI - Health Hazard Data

<i>Route (s) of Entry:</i>	<u>Inhalation</u> possible	<u>Skin</u> possible	<u>Ingestion</u> possible	<u>Eye</u> possible
----------------------------	-------------------------------	-------------------------	------------------------------	------------------------

Health Hazardous (Acute and Chronic):

Under the condition employed, skin contact is quite frequent. Even so, very rarely, a rash may be seen through prolonged contact or on people with sensitive skin.

<i>Carcinogenicity:</i>	<u>unknown</u>	<u>NTP</u> none	<u>IARC</u> none	<u>OSHA</u> none
-------------------------	----------------	--------------------	---------------------	---------------------

Signs and Symptoms of Exposure: There might be itch similar to contact dermatitis, but symptoms could be stopped by eliminating skin contact

Medical Conditions Generally Aggravated by Exposure: Unknown due to lack of precedent.

Emergency and First Aid Procedures:

In the rare event of dermatitis reaction or eye contact, wash or flush thoroughly with water. If ingested, induce vomiting with much water.

In all cases, medical attention is recommended.

Section VII - Precautions for Safe Handling and Use

Steps to be taken in case material is released or spilled:

Spills may be hardened with sand or absorbent material and transferred to containers. Protective clothing is to be worn during operation.

Waste Disposal Method: Dispose of in accordance with local, state, and federal regulations.

Precautions to Be Taken in Handling and Storing:

No precautions need to be taken in handling and storing under ordinary room temperature.
Keep away from high temperatures and flames.

Other Precautions: Store in cool and dark places, and keep the remainder airtight to prevent quality deterioration due to evaporation of content.

Section VIII - Control Measures

Respiratory Protection (Specify Type): Not necessary. But recommended.

Ventilation	Local exhaust:	Necessary during operation.
	Mechanical (General):	Desirable
	Special:	
	Other:	

Protective Gloves: Recommended. (Use rubber gloves).

Eye Protection: Recommended. (Use goggles)

Other Protective Clothing or Equipment: Not Necessary.

Work / Hygienic Practices: Nothing in particular.

Section IX - Miscellaneous

The information set forth herein is to the best knowledge and belief of MATSUI INTERNATIONAL CO. INC. If not employed as directed, we do not guarantee that the hazard precautions or procedure mentioned above are the only ones, which exist, and we do not assume responsibility in cases of unusual use of this product.

MATERIAL SAFETY DATA SHEET

MATSUI INTERNATIONAL CO., INC
1501 W. 178TH STREET GARDENA, CA. 90248

Identity (As used on label and list)

GLOW YELLOW MI2G-E

Section I

Manufacturer's Name MATSUI INTERNATIONAL	Emergency Telephone (310) 767-7812
Address (number, street, city, state, and zip code) 1501 W. 178 TH STREET, GARDENA, CA 90248	Telephone Number for Information (310) 767-7812
Date Prepared 02/05/13	Name of Preparer (optional) KAZUMI KAWAKAMI

Hazard Ratings

Health: 1
Flammability: 1
Reactivity: 0
Protective Equipment:

V.O.C. Content

no chemical substance relating to V.O.C.
is contained.

Section II - Hazardous Components Greater Than 1%

Material (s)	%	CAS #	PEL	TLV

No hazardous ingredients known at this time.

D/A...Data available

N/A... Not applicable or not available

Section III - Physical / Chemical Characteristics

Boiling Point	100°C (212°F)	Specific Gravity (H ₂ O=1)	1.24
Vapor Pressure (mm Hg.)	N/A	Melting Point	0°C
Vapor Density (AIR=1)	N/A	Evaporation Rate (Butyl Acetate=1)	Slower
Solubility in Water	N/A		
Appearance and Odor	Neon Yellow liquid with no odor.		

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) None	Flammable Limits: N/A	LEL N/A	UEL
-----------------------------------	--------------------------	------------	-----

Extinguishing Media: Foam, sand, carbon dioxide, dry chemical or water.

Special Fire Fighting Procedures: Use respirators when fire fighting.

Unusual Fire and Explosion Hazards: Not pyrophoric.

Section V - Reactivity Data

Stability: Unstable _____ Stable X.

Conditions to avoid: No specific reactivity

Incompatibility (Materials to avoid): Strong acids and bases.

Hazardous Decomposition or Byproducts: None

Hazardous Polymerization: May Occur _____ Will Not Occur X

Conditions to Avoid: Heat, sparks, and open flame.

Section VI - Health Hazard Data

<i>Route (s) of Entry:</i>	<u>Inhalation</u> possible	<u>Skin</u> possible	<u>Ingestion</u> possible	<u>Eye</u> possible
----------------------------	-------------------------------	-------------------------	------------------------------	------------------------

Health Hazardous (Acute and Chronic):

The vapor might irritate eyes, nose, and throat. In the case of skin contact, dermatitis might occur. Inhalation may cause coughing, headache, dizziness, nausea, etc.

<i>Carcinogenicity:</i>	<u>unknown</u>	<u>NTP</u> none	<u>IARC</u> none	<u>OSHA</u> none
-------------------------	----------------	--------------------	---------------------	---------------------

Signs and Symptoms of Exposure: There might be itch similar to contact dermatitis, but symptoms could be stopped by eliminating skin contact

Medical Conditions Generally Aggravated by Exposure: Unknown due to lack of precedent.

Emergency and First Aid Procedures:

In the rare event of dermatitis reaction or eye contact, wash or flush thoroughly with water. If ingested, induce vomiting with much water.

In all cases, medical attention is recommended.

Section VII - Precautions for Safe Handling and Use

Steps to be taken in case material is released or spilled:

Spills may be hardened with sand or absorbent material and transferred to containers. Protective clothing is to be worn during operation.

Waste Disposal Method: Dispose of in accordance with local, state, and federal regulations.

Precautions to Be Taken in Handling and Storing:

No precautions need to be taken in handling and storing under ordinary room temperature.

Keep away from high temperatures and flames.

Other Precautions: Store in cool and dark places, and keep the remainder airtight to prevent quality deterioration due to evaporation of content.

Section VIII - Control Measures

Respiratory Protection (Specify Type): Not necessary, but recommended.

Ventilation	Local exhaust:	Necessary during operation.
	Mechanical (General):	Desirable
	Special:	
	Other:	

Protective Gloves: Recommended. (Use rubber gloves).

Eye Protection: Recommended. (Use goggles)

Other Protective Clothing or Equipment: Not Necessary.

Work / Hygienic Practices: Nothing in particular.

Section IX - Miscellaneous

The information set forth herein is to the best knowledge and belief of MATSUI INTERNATIONAL CO. INC. If not employed as directed, we do not guarantee that the hazard precautions or procedure mentioned above are the only ones, which exist, and we do not assume responsibility in cases of unusual use of this product.